

1

2

3

4



THIS DRAWING AND INFORMATION CONTAINED  
HEREIN ARE THE PROPERTY OF JEWELL  
INSTRUMENTS, LLC AND MUST NOT  
BE COPIED OR DISCLOSED EITHER WHOLLY  
OR IN PART WITHOUT WRITTEN PERMISSION  
OF JEWELL INSTRUMENTS, LLC.

REVISIONS			
ZONE REV	DESCRIPTION	DATE	APPROVAL
G	PER ECN 4462	02/25/88	H. BOWMAN
G	REDRAW W/OUT CHANGES	11/11/97 A.A.	E. SCHWEBEL
H	REVISED LOGO	11-8-02	16110


**NOTES:**

CAUTION: A-.01MF 100V CAPACITOR IS CONNECTED INTERNALLY FROM PIN B OR C TO CASE. TAKE THIS INTO ACCOUNT IF DIELECTRIC TEST IS MADE FROM PINS TO CASE.

SENSITIVE AXIS AS LINEAR ACCELEROMETER  
SENSITIVE AXIS AS ANGULAR ACCELEROMETER  
APPROX. LOCATION OF CENTER OF SEISMIC MASS



ISOMETRIC VIEW



PIN FUNCTION	
A	+ POWER (+15VDC)
B	COMMON (SIG LOW)
C	- POWER (-15VDC)
D	OUTPUT (SIG HIGH)
E	CURRENT (OUTPUT)
F	SELF TEST

EXT. CONN.

CONTRACT NO.		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.		DRAFTSMAN	DATE
LEVEL	REL DATE	ANG ± .5°	.XX ± .01	J. M.	07/20/71
METHODS AND MATL	DATE	FRAC. ± 1/64	.XXX ± .005	CHECKER	
MFG ENG		MATERIAL		APP	
Q.A.		FINISH		APP	
NEXT ASSY	USED ON	REL FOR PRODUCTION	MAKDUK		07/20/71

JEWELL INSTRUMENTS LLC		TITLE	
		SMP SERIES ACCEL. OUTLINE DWG.	
SIZE	CAGE CODE	DWG NO	REV
C	33005	0D02550052-000	H
SCALE: 1/1	WEIGHT: 2 OZ.	SHEET 1 OF 1	

4

3

2

1